



Dual Fuel Quiet Electric Start Generator White 50hz 60hz Frequency

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GET
- Certification: ISO CE
- Price: Negotiable
- Delivery Time: 15-20 workdays
- Payment Terms: LC, T/T, PayPal, Western Union, Small-amount payment, Money Gram



Product Specification

- Rated Frequency: 50hz 60hz
- Rated Output(kw): 2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
- Max Output (kw): 2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
- Rated Voltage (V): 220V Or As Request
- Rated Current (A): 11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
- Rated Rotation Speed (r/min): 3000 3600
- Phase No.: Single Phase
- Power Factor: 1
- Insulation Grade: F
- Pole Number: 2
- Excitation Mode: Self-excitation & Constant Voltage (AVR)
- Panel Type: General Panel
- Receptacle: Two Receptacles
- Operation Mode: Without

for more products please visit us on diesenginepumps.com

Product Description

White Dual Fuel Quiet Generator Electric Start Silent Generator

Silent generators are suitable for many different applications due to their noise reduction and portability features. The following are descriptions of several common application scenarios:

1. Indoor Events: The silent generator is ideal for indoor events such as exhibitions, conferences, concerts, etc. Its low noise level won't disrupt events, while its lightweight and portable design makes it easy to move between venues.
2. Camping and Outdoor Activities: A silent generator is an ideal choice during camping and other outdoor activities. They can power camping tents, outdoor barbecues, outdoor lights and more without disturbing other campers or destroying the tranquility of the natural environment.
3. Construction Sites: On construction sites, electricity is needed to power various tools and equipment. Silent generators can provide reliable power supply while reducing noise disturbance to site workers and surrounding residents.
4. Emergency and power outage backup: Silent generators can provide temporary backup power during emergencies or power outages. They can be used for the operation of medical equipment, emergency communication systems, lighting and other basic living facilities to ensure people's safety and convenience.
5. Photography and film shooting: In photography and film shooting, a stable power supply is required to drive photography equipment, lighting and audio equipment, etc. The quiet generator's low noise level and reliability make it ideal for use on film sets.

Rated Frequency:	50hz 60hz
Max Output (kw):	2.7 3.0/ 5.0 5.2/ 5.2/5.5/ 6.3 6.9/ 6.8 7.7
Rated Current (A):	11.3 12.7/ 20.4 21.8/ 21.8 22.7/ 25.9 27.2/ 27.2 28.6
Phase No.:	Single Phase
Insulation Grade:	F
Excitation Mode:	Self-excitation & Constant Voltage (AVR)
Receptacle:	Two Receptacles
DC 12V Output:	Connection Pole Output
Dry Weight (kg):	164 150 150 153 161
Noise Level (7m):	72 DB
Engine Type:	Single Cylinder, Vertical, Four Stroke, Direct Injection, Air-cooled
Displacement(ml):	296 418 456 498 531
Compression Ratio:	20:01, 19:01
Starting System:	Electric Start
Lube Oil Brand:	CD Grade Or SAE10W-30, 15W-40
Starting Motor Capacity:	12V 0.9KW/ 12V 1.2KW
Battery Capacity:	12V 30Ah
Fuel Tank Capacity (L):	15
Rated Output(kw):	2.5 2.8/ 4.5 4.8/ 4.8 5.0/ 5.7 6.0/ 6.0 6.3
Rated Voltage (V):	220V Or As Request
Rated Rotation Speed (r/min):	3000 3600
Power Factor:	1
Pole Number:	2
Panel Type:	General Panel
Connection Pole:	Without
Overall Dimension(mm):	945*555*700
Working Assorting Weight (kg):	179 185 186 186 187
Structure Type:	Silent Type
Cylinder No. -bore X Stroke (mm):	1-78x62/ 1-86x72/ 1-88x75/ 1-92x75/ 1-95x75
Rated Power:	3.68/3000-4/3600. 5.7/3000-6.3/3600. 6.5/3000-7.2/3600. 7.6/3000-8.2/3600. 8.1/3000-8.7/3600
Lubrication System:	Pressure Splashed
Fuel Type:	0#(summer)-10#(winter)-35#(chillness) Diesel
Lube Capacity (L):	1.1/ 1.65
Charging Generator Capacity:	12V 8.3A
Fuel Consumption (g/kw*h):	≤280



参数表 Specifications

系列名称	GET10000	GET15000	GET20000	GET30000	GET40000
额定功率 (kW/VA) (100%)	10.0/12.5	15.0/18.7	20.0/25.0	30.0/37.5	40.0/50.0
额定电压 (V) (50Hz)	230/400	230/400	230/400	230/400	230/400
额定频率 (Hz)	50	50	50	50	50
额定转速 (rpm)	1500	1500	1500	1500	1500
额定电流 (A) (100%)	23.0	34.6	46.1	69.2	92.4
额定功率因数 (cosφ)	0.8	0.8	0.8	0.8	0.8
最大输出功率 (kW/VA) (100%)	10.0/12.5	15.0/18.7	20.0/25.0	30.0/37.5	40.0/50.0
最大输出功率 (kW/VA) (75%)	7.5/9.4	11.3/14.0	15.0/18.7	22.5/28.1	30.0/37.5
最大输出功率 (kW/VA) (50%)	5.0/6.2	7.5/9.4	10.0/12.5	15.0/18.7	20.0/25.0
最大输出功率 (kW/VA) (25%)	2.5/3.1	3.8/4.7	5.0/6.2	7.5/9.4	10.0/12.5
最大输出功率 (kW/VA) (10%)	1.0/1.2	1.5/1.9	2.0/2.5	3.0/3.7	4.0/5.0
最大输出功率 (kW/VA) (5%)	0.5/0.6	0.8/0.9	1.0/1.2	1.5/1.9	2.0/2.5
最大输出功率 (kW/VA) (2.5%)	0.25/0.3	0.4/0.5	0.5/0.6	0.75/0.9	1.0/1.2
最大输出功率 (kW/VA) (1%)	0.1/0.1	0.2/0.2	0.25/0.3	0.375/0.4	0.5/0.6
最大输出功率 (kW/VA) (0.5%)	0.05/0.06	0.1/0.1	0.125/0.15	0.187/0.2	0.25/0.3
最大输出功率 (kW/VA) (0.25%)	0.025/0.03	0.05/0.06	0.062/0.075	0.093/0.1	0.125/0.15
最大输出功率 (kW/VA) (0.1%)	0.01/0.01	0.02/0.02	0.025/0.03	0.0375/0.04	0.05/0.06
最大输出功率 (kW/VA) (0.05%)	0.005/0.006	0.01/0.01	0.0125/0.015	0.0187/0.02	0.025/0.03
最大输出功率 (kW/VA) (0.025%)	0.0025/0.003	0.005/0.006	0.0062/0.0075	0.0093/0.01	0.0125/0.015
最大输出功率 (kW/VA) (0.01%)	0.001/0.001	0.002/0.002	0.0025/0.003	0.00375/0.004	0.005/0.006
最大输出功率 (kW/VA) (0.005%)	0.0005/0.0006	0.001/0.001	0.00125/0.0015	0.00187/0.002	0.0025/0.003
最大输出功率 (kW/VA) (0.0025%)	0.00025/0.0003	0.0005/0.0006	0.00062/0.00075	0.00093/0.001	0.00125/0.0015
最大输出功率 (kW/VA) (0.001%)	0.0001/0.0001	0.0002/0.0002	0.00025/0.0003	0.000375/0.0004	0.0005/0.0006
最大输出功率 (kW/VA) (0.0005%)	0.00005/0.00006	0.0001/0.0001	0.000125/0.00015	0.000187/0.0002	0.00025/0.0003
最大输出功率 (kW/VA) (0.00025%)	0.000025/0.00003	0.00005/0.00006	0.000062/0.000075	0.000093/0.0001	0.000125/0.00015
最大输出功率 (kW/VA) (0.0001%)	0.00001/0.00001	0.00002/0.00002	0.000025/0.00003	0.0000375/0.00004	0.00005/0.00006
最大输出功率 (kW/VA) (0.00005%)	0.000005/0.000006	0.00001/0.00001	0.0000125/0.000015	0.0000187/0.00002	0.000025/0.00003
最大输出功率 (kW/VA) (0.000025%)	0.0000025/0.000003	0.000005/0.000006	0.0000062/0.0000075	0.0000093/0.00001	0.0000125/0.000015
最大输出功率 (kW/VA) (0.00001%)	0.000001/0.000001	0.000002/0.000002	0.0000025/0.000003	0.00000375/0.000004	0.000005/0.000006
最大输出功率 (kW/VA) (0.000005%)	0.0000005/0.0000006	0.000001/0.000001	0.00000125/0.0000015	0.00000187/0.000002	0.0000025/0.000003
最大输出功率 (kW/VA) (0.0000025%)	0.00000025/0.0000003	0.0000005/0.0000006	0.00000062/0.00000075	0.00000093/0.000001	0.00000125/0.0000015
最大输出功率 (kW/VA) (0.000001%)	0.0000001/0.0000001	0.0000002/0.0000002	0.00000025/0.0000003	0.000000375/0.0000004	0.0000005/0.0000006
最大输出功率 (kW/VA) (0.0000005%)	0.00000005/0.00000006	0.0000001/0.0000001	0.000000125/0.00000015	0.000000187/0.0000002	0.00000025/0.0000003
最大输出功率 (kW/VA) (0.00000025%)	0.000000025/0.00000003	0.00000005/0.00000006	0.000000062/0.000000075	0.000000093/0.0000001	0.000000125/0.00000015
最大输出功率 (kW/VA) (0.0000001%)	0.00000001/0.00000001	0.00000002/0.00000002	0.000000025/0.00000003	0.0000000375/0.00000004	0.00000005/0.00000006
最大输出功率 (kW/VA) (0.00000005%)	0.000000005/0.000000006	0.00000001/0.00000001	0.0000000125/0.000000015	0.0000000187/0.00000002	0.000000025/0.00000003
最大输出功率 (kW/VA) (0.000000025%)	0.0000000025/0.000000003	0.000000005/0.000000006	0.0000000062/0.0000000075	0.0000000093/0.00000001	0.0000000125/0.000000015
最大输出功率 (kW/VA) (0.00000001%)	0.000000001/0.000000001	0.000000002/0.000000002	0.0000000025/0.000000003	0.00000000375/0.000000004	0.000000005/0.000000006
最大输出功率 (kW/VA) (0.000000005%)	0.0000000005/0.0000000006	0.000000001/0.000000001	0.00000000125/0.0000000015	0.00000000187/0.000000002	0.0000000025/0.000000003
最大输出功率 (kW/VA) (0.0000000025%)	0.00000000025/0.0000000003	0.0000000005/0.0000000006	0.00000000062/0.00000000075	0.00000000093/0.000000001	0.00000000125/0.0000000015
最大输出功率 (kW/VA) (0.000000001%)	0.0000000001/0.0000000001	0.0000000002/0.0000000002	0.00000000025/0.0000000003	0.000000000375/0.0000000004	0.0000000005/0.0000000006
最大输出功率 (kW/VA) (0.0000000005%)	0.00000000005/0.00000000006	0.0000000001/0.0000000001	0.000000000125/0.00000000015	0.000000000187/0.0000000002	0.00000000025/0.0000000003
最大输出功率 (kW/VA) (0.00000000025%)	0.000000000025/0.00000000003	0.00000000005/0.00000000006	0.000000000062/0.000000000075	0.000000000093/0.0000000001	0.000000000125/0.00000000015
最大输出功率 (kW/VA) (0.0000000001%)	0.00000000001/0.00000000001	0.00000000002/0.00000000002	0.000000000025/0.00000000003	0.0000000000375/0.00000000004	0.00000000005/0.00000000006
最大输出功率 (kW/VA) (0.00000000005%)	0.000000000005/0.000000000006	0.00000000001/0.00000000001	0.0000000000125/0.000000000015	0.0000000000187/0.00000000002	0.000000000025/0.00000000003
最大输出功率 (kW/VA) (0.000000000025%)	0.0000000000025/0.000000000003	0.000000000005/0.000000000006	0.0000000000062/0.0000000000075	0.0000000000093/0.00000000001	0.0000000000125/0.000000000015
最大输出功率 (kW/VA) (0.00000000001%)	0.000000000001/0.000000000001	0.000000000002/0.000000000002	0.0000000000025/0.000000000003	0.00000000000375/0.000000000004	0.000000000005/0.000000000006
最大输出功率 (kW/VA) (0.000000000005%)	0.0000000000005/0.0000000000006	0.000000000001/0.000000000001	0.00000000000125/0.0000000000015	0.00000000000187/0.000000000002	0.0000000000025/0.000000000003
最大输出功率 (kW/VA) (0.0000000000025%)	0.00000000000025/0.0000000000003	0.0000000000005/0.0000000000006	0.00000000000062/0.00000000000075	0.00000000000093/0.000000000001	0.00000000000125/0.0000000000015
最大输出功率 (kW/VA) (0.000000000001%)	0.0000000000001/0.0000000000001	0.0000000000002/0.0000000000002	0.00000000000025/0.0000000000003	0.000000000000375/0.0000000000004	0.0000000000005/0.0000000000006
最大输出功率 (kW/VA) (0.0000000000005%)	0.00000000000005/0.00000000000006	0.0000000000001/0.0000000000001	0.000000000000125/0.00000000000015	0.000000000000187/0.0000000000002	0.00000000000025/0.0000000000003
最大输出功率 (kW/VA) (0.00000000000025%)	0.000000000000025/0.00000000000003	0.00000000000005/0.00000000000006	0.000000000000062/0.000000000000075	0.000000000000093/0.0000000000001	0.000000000000125/0.00000000000015
最大输出功率 (kW/VA) (0.0000000000001%)	0.00000000000001/0.00000000000001	0.00000000000002/0.00000000000002	0.000000000000025/0.00000000000003	0.0000000000000375/0.00000000000004	0.00000000000005/0.00000000000006
最大输出功率 (kW/VA) (0.00000000000005%)	0.000000000000005/0.000000000000006	0.00000000000001/0.00000000000001	0.0000000000000125/0.000000000000015	0.0000000000000187/0.00000000000002	0.000000000000025/0.00000000000003
最大输出功率 (kW/VA) (0.000000000000025%)	0.0000000000000025/0.000000000000003	0.000000000000005/0.000000000000006	0.0000000000000062/0.0000000000000075	0.0000000000000093/0.00000000000001	0.0000000000000125/0.000000000000015
最大输出功率 (kW/VA) (0.00000000000001%)	0.000000000000001/0.000000000000001	0.000000000000002/0.000000000000002	0.0000000000000025/0.000000000000003	0.00000000000000375/0.000000000000004	0.000000000000005/0.000000000000006
最大输出功率 (kW/VA) (0.000000000000005%)	0.0000000000000005/0.0000000000000006	0.000000000000001/0.000000000000001	0.00000000000000125/0.0000000000000015	0.00000000000000187/0.000000000000002	0.0000000000000025/0.000000000000003
最大输出功率 (kW/VA) (0.0000000000000025%)	0.00000000000000025/0.0000000000000003	0.0000000000000005/0.0000000000000006	0.00000000000000062/0.00000000000000075	0.00000000000000093/0.000000000000001	0.00000000000000125/0.0000000000000015
最大输出功率 (kW/VA) (0.000000000000001%)	0.0000000000000001/0.0000000000000001	0.0000000000000002/0.0000000000000002	0.00000000000000025/0.0000000000000003	0.000000000000000375/0.0000000000000004	0.0000000000000005/0.0000000000000006
最大输出功率 (kW/VA) (0.0000000000000005%)	0.00000000000000005/0.00000000000000006	0.0000000000000001/0.0000000000000001	0.000000000000000125/0.00000000000000015	0.000000000000000187/0.0000000000000002	0.00000000000000025/0.0000000000000003
最大输出功率 (kW/VA) (0.00000000000000025%)	0.000000000000000025/0.00000000000000003	0.00000000000000005/0.00000000000000006	0.000000000000000062/0.000000000000000075	0.000000000000000093/0.0000000000000001	0.000000000000000125/0.00000000000000015
最大输出功率 (kW/VA) (0.0000000000000001%)	0.00000000000000001/0.00000000000000001	0.00000000000000002/0.00000000000000002	0.000000000000000025/0.00000000000000003	0.0000000000000000375/0.00000000000000004	0.00000000000000005/0.00000000000000006
最大输出功率 (kW/VA) (0.00000000000000005%)	0.000000000000000005/0.000000000000000006	0.00000000000000001/0.00000000000000001	0.0000000000000000125/0.000000000000000015	0.0000000000000000187/0.00000000000000002	0.000000000000000025/0.00000000000000003
最大输出功率 (kW/VA) (0.000000000000000025%)	0.0000000000000000025/0.000000000000000003	0.000000000000000005/0.000000000000000006	0.0000000000000000062/0.0000000000000000075	0.0000000000000000093/0.00000000000000001	0.0000000000000000125/0.000000000000000015
最大输出功率 (kW/VA) (0.00000000000000001%)	0.000000000000000001/0.000000000000000001	0.000000000000000002/0.000000000000000002	0.0000000000000000025/0.000000000000000003	0.00000000000000000375/0.000000000000000004	0.000000000000000005/0.000000000000000006
最大输出功率 (kW/VA) (0.000000000000000005%)	0.0000000000000000005/0.0000000000000000006	0.000000000000000001/0.000000000000000001	0.00000000000000000125/0.0000000000000000015	0.00000000000000000187/0.000000000000000002	0.0000000000000000025/0.000000000000000003
最大输出功率 (kW/VA) (0.0000000000000000025%)	0.00000000000000000025/0.0000000000000000003	0.0000000000000000005/0.0000000000000000006	0.00000000000000000062/0.00000000000000000075	0.00000000000000000093/0.000000000000000001	0.00000000000000000125/0.0000000000000000015
最大输出功率 (kW/VA) (0.000000000000000001%)	0.0000000000000000001/0.0000000000000000001	0.0000000000000000002/0.0000000000000000002	0.00000000000000000025/0.0000000000000000003	0.000000000000000000375/0.0000000000000000004	0.0000000000000000005/0.0000000000000000006
最大输出功率 (kW/VA) (0.0000000000000000005%)	0.00000000000000000005/0.00000000000000000006	0.0000000000000000001/0.0000000000000000001	0.000000000000000000125/0.00000000000000000015	0.000000000000000000187/0.0000000000000000002	0.00000000000000000025/0.0000000000000000003
最大输出功率 (kW/VA) (0.00000000000000000025%)	0.000000000000000000025/0.00000000000000000003	0.00000000000000000005/0.00000000000000000006	0.000000000000000000062/0.000000000000000000075	0.000000000000000000093/0.0000000000000000001	0.000000000000000000125/0.00000000000000000015
最大输出功率 (kW/VA) (0.0000000000000000001%)	0.00000000000000000001/0.00000000000000000001	0.00000000000000000002/0.00000000000000000002	0.000000000000000000025/0.00000000000000000003	0.0000000000000000000375/0.00000000000000000004	0.00000000000000000005/0.00000000000000000006
最大输出功率 (kW					